

# Merging Taxonomies under RCC-5 Algebraic Articulations\*

David Thau  
Dept. of Computer Science  
University of California  
Davis, CA 95616  
dthau@ucdavis.edu

Shawn Bowers  
Genome Center  
University of California  
Davis, CA 95616  
sbowers@ucdavis.edu

Bertram Ludäscher  
Dept. of Computer Science &  
Genome Center  
University of California  
Davis, CA 95616  
ludaesch@ucdavis.edu

## ABSTRACT

Taxonomies are widely used to classify information, and multiple (possibly competing) taxonomies often exist for the same domain. Given a set of correspondences between two taxonomies, it is often necessary to “merge” the taxonomies, thereby creating a unified taxonomy (e.g., that can then be used by data integration and discovery applications). We present an algorithm for merging taxonomies that have been related using articulations given as RCC-5 constraints. Two taxa  $N$  and  $M$  can be related using (disjunctions of) the five base relations in RCC-5:  $N \equiv M$ ;  $N \subseteq M$ ;  $N \supseteq M$ ;  $N \oplus M$  (partial overlap of  $N$  and  $M$ ); and  $N \perp M$  (disjointness:  $N \cap M = \emptyset$ ). RCC-5 is increasingly being adopted by scientists to specify mappings between large species taxonomies. We discuss the properties of the proposed merge algorithm and evaluate our approach using real-world biological taxonomies.

## Categories and Subject Descriptors

I.2.4 [Artificial Intelligence]: Knowledge Representation Formalisms and Methods; D.2.12 [Software Engineering]: Interoperability; H.4.m [Information Systems Applications]: Miscellaneous

## General Terms

Algorithms

## Keywords

Taxonomies, Merging, Automated Deduction (Reasoning)

## 1. INTRODUCTION

Classification hierarchies, i.e., *taxonomies*, are a widely used approach for organizing various types of information [2, 32, 23]. For example, in scientific disciplines, taxonomies have been used for centuries to classify living organisms, and more recently, to species based on their evolutionary history [7], proteins [27], diseases [6], and genes [12], among others. It is common for similar information

\*Work supported by NSF awards DBI-0533368, BDI-0743429, INTEROP-0753144, IIS-0630033.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. To copy otherwise, to republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee.

ONISW'08, October 30, 2008, Napa Valley, California, USA.  
Copyright 2008 ACM 978-1-60558-255-9/08/10 ...\$5.00.

to be represented by multiple differing taxonomies. The differences may be due to disagreement among experts, changes in how a field is conceptualized, or because of overlaps within different fields of study. Thus, to effectively use multiple, overlapping taxonomies (e.g., for data discovery or integration), it is crucial to be able to both represent and reason over their similarities and differences.

In this paper, we focus on *merging* multiple taxonomies based on a given *alignment* [18, 9, 10, 15], i.e., a set of *articulations* specifying the relationships among concepts (classes, taxa) in different taxonomies. Our work is motivated by taxonomies arising in biological applications, e.g., where large species or phylogenetic taxonomies have been created and the mappings (i.e., articulations) between them constructed by one or more domain experts [19]. Unlike other approaches focussed on general ontology alignment and merging [8, 26, 20, 22, 34], we assume that articulations are given as RCC-5 algebra constraints [29], which are often used for expressing set-based topological relations and are increasingly used to specify articulations among species taxonomies [16].

The primary contribution of this paper is an algorithm for merging taxonomies in which the result of the merge operation is a new, unified taxonomy that maintains links to the original sources. Our approach has the following main advantages.

**RCC-Based Articulations.** Unlike the articulation relationships supported in most alignment systems [26, 22, 21], articulations using RCC-based relationships mirror the articulations seen in biological taxonomic alignments [19, 11]. For example, unlike in many ontology approaches, the RCC algebra supports representation of incomplete knowledge via explicit disjunctive relationships between taxa (e.g., taxon A is either disjoint from, or included in taxon B). In addition, complexity analyses of the RCC algebra have provided results showing when polynomial time reasoning is possible using the RCC relationships [14].

**Merge Results as Taxonomies.** Because the result of a merge is itself a taxonomy, it becomes possible to apply various taxonomic operations to it. For example, from a merged taxonomy we can determine if the merge result adheres to specific taxonomic constraints, if it is logically consistent, if it contains synonyms, if it contains uncertainty that can be reduced, or if it contains redundant articulations.

**Links to Original Sources.** Merged taxonomies that contain links to source taxonomies may be used by applications such as data aggregators that combine observations of species from many data sources (occurrence counts, height and weight measurements, etc.) – where each source may use a different “field guide” (species taxonomy). For example, using a merged taxonomy, it becomes possible to: determine if two data sets contain observations of the same species even when the species are described using different tax-

onomies; convert data sets into equivalent ones but with a different taxonomy; and discover data sets via concepts drawn from familiar, underlying taxonomies [8].

**Simplified Taxonomic Views.** A single merged taxonomy can also help users trying to understand the effect of articulations between source taxonomies. Although a large set of articulations might be consistent, it still may be difficult to understand all implications simply by considering pairwise combinations of taxa. Providing a minimal “taxonomic” view of the product of the alignment can help a user understand the impact of an alignment, and refine it as necessary.

The rest of this paper is organized as follows. Section 2 provides a brief overview of the CLEAN-TAX framework, upon which our merge algorithm is based, and discusses related work, comparing our approach to those for general ontology-based alignment and merging. Section 3 introduces features of a merge algorithm that we see as important for systems utilizing biological taxonomy alignments. Section 4 describes in more detail the CLEAN-TAX framework [36, 35], and presents our approach for merging taxonomies within CLEAN-TAX. Section 5 presents an initial implementation and experimental results of our framework for the merging of two large biological taxonomies as well as smaller examples highlighting interesting features of our merge algorithm. Finally, Section 6 summarizes the findings presented here and describes future work related to taxonomic merge operations.

## 2. RELATED WORK

The merge approach described in this paper is based on the CLEAN-TAX framework [36, 35], in which a taxonomy  $T = (N, \leq_N, \Phi)$  is denoted by a set of taxa, or names,  $N$  (i.e., a set of concepts or names<sup>1</sup>); a partial ordering relation on those taxa  $\leq_N$ , denoting an “isa” relation; and a set of additional taxonomic constraints  $\Phi$ . Each taxon is thought to be a set of instances (although the complete extent of a taxon is typically not known). Each “isa” relation between taxa translates to an implication; if  $A$  “isa”  $B$ , then all things that are in  $A$  are also in  $B$ , i.e.,  $A \subseteq B$ , or in predicate logic

$$\forall x : A(x) \rightarrow B(x).$$

The additional *taxonomic constraints*  $\Phi$  describe other set-based relationships between taxa, e.g., stating that two given taxa are disjoint (share no instances), i.e.  $\neg \exists x : A(x) \wedge B(x)$ . An *articulation* between taxa in different taxonomies is also a set-based relationship. For instance, an articulation may state that two taxa are equivalent:  $\forall x : A(x) \leftrightarrow B(x)$ , or that one taxon is properly contained within another:  $\forall x : A(x) \rightarrow B(x) \wedge \exists y : B(y) \wedge \neg A(y)$ . Equivalence, disjointness and proper inclusion are three of the five RCC-5 relations, see Section 4.3 for details.

A *merge operation* in our approach takes as input a pair of taxonomies  $T_1, T_2$  and a set of articulations between them  $A_{12}$ , and outputs a new taxonomy  $T_3$ . In CLEAN-TAX, taxonomies, articulations, and additional taxonomic constraints are represented in first-order logic and reasoning over these is performed via a first-order reasoner (e.g., [38, 31]). This reasoning may discover inconsistencies in the articulations, or may discover additional articulations. Given a consistent alignment, a merge is then performed by combining equivalent taxa, and creating a new taxonomy based on the given and inferred articulations. The primary contributions are a characterization and algorithm for the merge in this setting, and the manner in which taxa are combined.

<sup>1</sup>Our taxon names are typically quantified with an authority, so we use the terms (qualified, constrained) name and concept, synonymously.

Taxonomies may be seen as simplified ontologies. There has been a considerable amount of work on merging ontologies. Much of this work has focused on using instances [33], or lexical information in the names and definitions of classes [21, 17] to automatically generate articulations between concepts in separate ontologies. The ontologies are then merged together based on these articulations. The use of instances and lexical information in these systems differs from the work described here, which focuses specifically on the structure of the taxonomies being merged (i.e., the concepts, or taxa, and their relationships). Of the many tools and approaches for ontology merging, the OntoMerge [8], Chimæra [25, 24], and iPrompt [26] systems are most similar to CLEAN-TAX.


In OntoMerge, the merge of two ontologies is the union of the axioms defining the ontologies and the articulations between them. The approach employed by OntoMerge is meant to assist in the translation of data represented using terms from one ontology into data that can be represented using another ontology. In addition to data translation, OntoMerge is meant to support query answering between ontologies, so that queries stated using terms of one ontology may be rewritten into queries over other ontologies. In both of these scenarios, the merge must maintain connections to the source ontologies. Unlike CLEAN-TAX, which uses relations drawn from the RCC-5 algebra, articulations in OntoMerge are represented using an enriched full first-order logic (WebPDDL). Whereas the current implementation of CLEAN-TAX uses monadic first-order logic, which is decidable, OntoMerge uses a first-order reasoner called Onto-Engine that performs forward and backward chaining to provide data transformations between ontologies. The result of merging ontologies in OntoMerge is represented as a set of first-order logic formulas, whereas in our approach we always construct a new “unified” taxonomy  $T$  having the structure defined above. This taxonomy can further be simplified in our approach, resulting in taxonomic merges that are often more intuitive and easier to understand for end users (see Section 1).

The Chimæra and iPrompt systems differ from OntoMerge in that their goal is primarily to create a new ontology from the source ontologies. Chimæra and iPrompt’s merges often involve fusing identical terms in the source ontologies into a new term, and determining the subsumption and disjointness relations between the classes in the separate ontologies. Unlike both CLEAN-TAX and OntoMerge, these systems are interactive, giving users hints about how concepts in the separate ontologies may relate. Whereas CLEAN-TAX restricts articulations to relations covered by the RCC-5 algebra, Chimæra and Prompt use frame-based and description-logic based representation languages. Finally, unlike OntoMerge and CLEAN-TAX, determining the relationships among source concepts from a merged ontology is not supported by Chimæra and iPrompt (although iPrompt does maintain a separate log describing the process used in creating the merged ontology). Maintaining these source relations is critical for applying merged taxonomies, e.g., for data discovery and integration.

## 3. DESIDERATA

Below we describe a number of desirable features that we believe systems for creating, using, and managing taxonomy merges should have, and briefly describe how they are supported by our approach. These desiderata come primarily from the settings in which we wish to apply CLEAN-TAX, as well as those from more general settings such as ontology merging, as described in the previous section.

A goal of CLEAN-TAX is to effectively represent large biological taxonomies (such as classifying organisms via species taxonomies or their evolutionary history via phylogenetic trees), and to pro-



**Figure 1: Given the alignment in (a), the merge in (b) violates all the described desiderata, except for D5 (Closure). The merge in (c) shows a violation of D5.**

vide efficient reasoning services over them. In the case of species taxonomies, one or more domain experts often specifies articulations among taxonomies by hand, resulting in potentially tens of thousands of articulations between any given pair of taxonomies. This situation is compounded by the large number of taxonomies that exist, often having overlapping and competing taxon definitions. Thus, it is crucial for articulation providers to have tools that allow them to easily express articulations, and to understand their ramifications. Further, systems that manage taxonomies and articulations, or that use merged taxonomies to discover, translate, or integrate data also introduce a number of requirements.

In the following, we assume two taxonomies  $T_1$  and  $T_2$ , and a set  $A_{12}$  of articulations between them. As described in Section 2, taxonomies and articulations in CLEAN TAX are formalized as sets of first-order formulas. For the taxonomies and articulations defined above, we denote the union of their respective first-order formulas as:

$$\Phi_{12} = \Phi_{T_1} \cup \Phi_{T_2} \cup \Phi_{A_{12}}.$$

We denote the taxonomy  $T_3$  resulting from the the merge of  $T_1$  and  $T_2$  as:


$$T_3 = T_1 \oplus_{A_{12}} T_2.$$

### 3.1 Desiderata of Merge Results

The following desiderata focus on desirable features of the output (merge result) of a merge operation.

**(D1) Conservative.** The result of a merge should preserve all consequences of the union of the source taxonomies and articulations. Formally, if  $\Phi_{12} \models \varphi$ , then  $T_3 \models \varphi$ . When this is true, we can say the merge result is *conservative*: what was true before is still true—consequences are preserved. For example, the merge of the alignment in Figure 1(a) shown in Figure 1(b) violates this desiderata because the disjointness between taxa 2 and 3 is not maintained. One ramification of this desiderata is that it places restrictions on merge operations that attempt to simplify the representation of the merge result (i.e., it should still be possible to obtain all consequences of the alignment via the simplified version of the result).

**(D2) Sound.** The result of a merge should not introduce consequences that do not follow from the alignment. We consider two different notions of soundness: soundness and soundness under renaming. In *soundness*, all inferences that follow from the merge result should also be true of the alignment: if  $T_3 \models \varphi$  then  $\Phi_{12} \models \varphi$ . Soundness is violated if the merge result includes new taxa that did not appear in either of the source taxonomies; e.g., if the merge result includes new taxa representing the fusion of equivalent source



**Figure 2: Projecting Taxonomy 1 from the Merge.**

taxa. On the other hand, *soundness under renaming* is not violated by taxa that have been introduced during the merge if these taxa are equivalent to taxa in the original taxonomies. For example, if the relation  $N \supseteq M'$  (i.e.,  $N$  is a proper superset of  $M'$ ) is in the merge, where  $N$  is a taxon in one taxonomy and  $M'$  is a taxon created during the merge, strict soundness will always be violated (because  $M'$  is not mentioned in either  $T_1$ ,  $T_2$ , or  $A_{12}$ ). However, if  $M \equiv M'$  where  $M$  is in one of the taxonomies, and  $N \supseteq M$  is a relation in the original alignment, then soundness under renaming is not violated. Figure 1(b) violates both soundness and soundness under renaming because it introduces disjointness between taxa C and 2 and this disjointness does not follow from the alignment in Figure 1(a).

**(D3) Source Maintaining.** Many of the use cases for a taxonomic merge operator require a connection between the merged taxonomy and the source taxonomies. This type of connection is required, e.g., to translate data sets from one taxonomy to another. It is also required to query one taxonomy using terms from a second. In both of these cases, without the connection between the merged taxonomy and the sources, there would be no way to determine how the terms in the source taxonomies relate to those in the merged taxonomy. Approaches such as OntoMerge [8] contain these types of connections because the merged ontologies are precisely the formulas derived from the source ontologies and articulations. Alternatively, in approaches such as iPrompt [26], these connections are maintained in a more indirect way, e.g., by recording the decisions made during the creation of the merge result, or in a separate mapping file. However, the connections between source taxonomies and the merge result that are maintained using iPrompt’s provenance-based mechanism are difficult to exploit in data translation tasks.

To help leverage the applicability of a source-maintaining merge result, we introduce the “source projection” of a merged taxonomy. Given a merged taxonomy  $T_3$  derived from taxonomies  $T_1$  and  $T_2$  and articulations  $A_{12}$ , the source projection (or simply projection) of the merge result provides linkages to the source taxonomies. For example, Figure 2(b) shows a merge of the alignment in Figure 2(a). The projection of  $T_1$  from  $M$  in Figure 2(c), denoted  $M.T_1$ , shows how the taxa in  $M$  relate to the taxa in  $T_1$ . Note that projection does not recreate the entire source taxonomy. It simply provides linkages from the merge to its sources. Figure 3 shows how the projection might be used in a merge. Figure 3(a) shows three taxonomies and two sets of articulations. After merging  $T_1$  and  $T_2$ , the resulting taxonomy might look like  $M_{12}$  in Figure 3(b). When the merge of  $M_{12}$  is attempted, the articulations in  $A_{23}$  cannot apply because of the renamed nodes in  $M_{12}$ , and there is no known set of articulations between  $M_{12}$  and  $T_3$ . To resolve this mismatch between the taxa in  $M_{12}$  and those referenced in  $A_{23}$ ,  $T_2$  is projected from  $M_{12}$  in Figure 3(c), and this projection provides connection points for the  $A_{23}$  articulations. More concisely,

$$M_{123} = ((T_1 \oplus_{A_{12}} T_2).T_2) \oplus_{A_{23}} T_3$$




Figure 3: Using the Projection.

The merge in Figure 1(b) violates the source maintaining desiderata because there is no connection between taxon  $[A,1]$  in the merge and either taxon  $A$  or  $1$ . In other words,  $M.T_1$  cannot be calculated.

### 3.2 Desiderata of Merge Operations

The following desiderata focus on desirable properties of the merge operation itself.

**(D4) Closed.** The result of a merge operator should be output as a taxonomy. If the output of the merge operation is itself a taxonomy, all of the operations that apply to taxonomies may also be automatically applied to the merge result. These operations include checking the merge result for consistency, displaying the result visually, determining the minimal set of axioms to describe the merge result, and potentially merging the result with additional taxonomies. The set of logic axioms in Figure 1(c), though it may represent a merge result that satisfies all other desiderata is not a taxonomy according to our definition of a taxonomy; it has neither a specified set of taxon names  $N$ , nor a specified partial order  $\leq_N$ .

**(D5) Associative and Commutative.** Given a sequence of (e.g., binary) merge operations, the order in which the operations are executed should not matter:  $(T_1 \oplus_{A_{12}} T_2) \oplus_{A_{23}} T_3 = T_1 \oplus_{A_{12}} (T_2 \oplus_{A_{23}} T_3)$ . Besides being more intuitive for users, this desiderata is also important for optimization within systems for managing taxonomies. For example, if  $T_2$  and  $T_3$  have been merged in the past, and the result is easily retrievable, it would be beneficial to be able use that cached result when determining  $(T_1 \oplus_{A_{12}} T_2) \oplus_{A_{23}} T_3$ . The merge result in Figure 1(b) loses associativity in a merge like  $(T_1 \oplus_{A_{12}} T_2) \oplus_{A_{23}} T_3$  because taxon  $1$  in  $T_2$  no longer exists in the merge result; it is replaced by taxon  $[A,1]$ . This replacement of taxon names means the articulations in  $A_{23}$  involving taxon  $1$  from  $T_2$  will not apply to the merged taxonomy resulting from  $T_1 \oplus_{A_{12}} T_2$ , and so will not be reflected in the subsequent merge with  $T_3$ . Similarly, given two taxonomies, the order in which they are provided in a merge operation should not matter, i.e., commutativity should also hold:  $T_1 \oplus_{A_{12}} T_2 = T_2 \oplus_{A_{21}} T_1$ . Finally, it is also desirable for a taxonomy merged with itself to result in the original taxonomy, i.e., idempotence should also hold:  $T_1 \oplus_{A_{11}} T_1 = T_1$ .

**(D6) Minimal.** A taxonomy free of redundant information is often easier to use and understand. For example, in the alignment in Figure 4(a) could be merged as in Figure 4(b), however this merge contains a great deal of redundant information. Combining equivalent nodes, as in Figure 4(c) eliminates the redundant information and creates a merge that is easier to understand.




Figure 4: Merging with and without fusing equivalent taxa.

**(D7) Scalable.** As described above, merge operations should be able to scale-up to large taxonomies, containing many articulations, while preferably providing reasonable response-time, e.g., for articulation providers so they can quickly see merge results, for systems managing taxonomies, and for systems performing taxonomy-based data discovery, translation, and integration services.

In the following section, we describe the CLEAN TAX framework in more detail, and present our CLEAN TAX merge algorithm which satisfies each of the above desiderata.

## 4. TAXONOMY MERGING IN CLEAN TAX

This section begins with a description of the representations used to describe taxonomies and articulations in the CLEAN TAX framework [36, 35]. It then describes the taxonomic merge operation used within CLEAN TAX.

### 4.1 Taxa

A *taxon* (plural, *taxa*) represents a name, concept, or class. Each taxon in CLEAN TAX is represented as a tuple  $(S, C)$ , where  $S$  represents a unique identifier for the source taxonomy in which the taxon appears, and  $C$  represents the name of the taxon. We often refer to taxon names as unary objects. Following the example of XML elements and their namespaces, these unary taxon names may be constructed by prepending the taxon name with the unique name of the source taxonomy.

### 4.2 Taxonomies

Taxonomies have traditionally been defined as a partial ordering of taxa where the ordering relation denotes “inclusion” [5]. We start with that definition here, and then show how it needs some embellishment.

**ISA-Hierarchies.** Let  $a, b, \dots \in N$  be a set of taxa and  $\leq_N$  a *partial order* on  $N$  (i.e.,  $\leq$  is reflexive, transitive, and antisymmetric). We interpret  $b \leq a$  as  $\forall x. b(x) \rightarrow a(x)$  or equivalently as  $b \subseteq a$  and call  $H = (N, \leq_N)$  an *isa-hierarchy*.<sup>2</sup>


Formally, we can view a hierarchy  $H = (N, \leq_N)$  as a set of first-order (FO) logic formulas:

$$\Phi_H = \{\forall x. b(x) \rightarrow a(x) \mid a, b \in N \text{ and } b \leq_N a\}.$$

Note that the *signature* of  $H$  consists only of unary predicate symbols (the taxon names in  $N$ ), i.e.,  $\sigma_H = N$ . As shown,  $H$  is formal-

<sup>2</sup>If the partial order is strict, i.e.,  $b \leq a$  implies  $a \neq b$ , then we write  $H = (N, <_N)$  and call  $H$  a *containment hierarchy*. When viewed as sets, we thus have  $b \subsetneq a$ . In this sense, containment hierarchies are special isa-hierarchies.





**Figure 5:**  $\mathbb{B}_5$  – the five basic relations  $N \equiv M$ ,  $N \subsetneq M$ ,  $N \supsetneq M$ ,  $N \oplus M$ ,  $N \updownarrow M$  between two sets  $N, M$

union  $\Phi_{T_1} \cup \Phi_{T_2} \cup \Phi_{\Lambda_{12}}$ .

Once this initial taxonomy is formed, the final merge is created by merging taxa found to be equivalent, due to provided or inferred articulations.

We define an equivalence relation on  $N$  such that:

$$a \sim b \text{ if } \Phi \models \forall x. a(x) \leftrightarrow b(x),$$

where the equivalence class of  $a \in N$  is  $[a] = \{x \in N \mid x \sim a\}$ . We say that taxonomy  $T$  has *synonyms* if for some  $a, b \in N$  with  $a \neq b$  we have that  $a \sim b$ ; otherwise  $T$  is called *synonym-free*. Using this definition we can construct a unique, synonym-free version of the initial merge result. We call this simplified version a *quotient taxonomy*  $T_{/\sim}$  such that:

$$\begin{aligned} N_{/\sim} &= \{[a] \mid a \in N\}, \\ \leq_{/\sim} &= \{([a], [b]) \mid [a] \leq [b] \text{ if } a \leq b\}, \\ \Phi_{/\sim} &= \{[\varphi] \mid \varphi \in \Phi\}. \end{aligned}$$

Here for every FO formula  $\varphi$ , we define its quotient  $[\varphi]$  to be the formula where each atom  $a(x)$  has been replaced by the atom  $[a](x)$ .

We briefly describe how the above merge algorithm satisfies the desiderata of Section 3. First, based on the deductive closure, the results produced by the merge operation are conservative and sound under renaming. Namely, all consequences of the union of the source taxonomies and articulations are preserved, and no new information has been added to the merge result that could not be derived from the original taxonomies and articulations, where each taxon in  $N_{/\sim}$  is equivalent to at least one source taxon. Merge results are also source maintaining. In a quotient taxonomy, each taxon  $[a] = \{x_1, x_2, \dots\}$  for  $a \in N_{/\sim}$  implicitly carries its linkages to corresponding source taxa, where the source projection operation simply selects the desired source taxa of  $[a]$ . For instance, for the  $[A, I]$  taxon in Figure 4(c),  $N = [T_1.A, T_2.I]$  such that the source projection  $M.T_1$  is  $\{(M.A1, T_1.A), (M.B3, T_1.B), (M.C2, T_1.C)\}$ . This projection can then be either rendered into a set of first-order axioms, or can be used to rewrite a set of articulations. In the former case, each pair in the projection  $(m, n)$  would add an axiom  $\forall x. m(x) \leftrightarrow n(x) \in \Phi$ . In this case we can define  $(T_1 \oplus_{A_{12}} T_2).T_2 = (N_M \cup N_{T_2}, \leq_{T_M}, \Phi_M \cup \Phi_{M.T_2})$ . In the latter case, each taxon in the set of articulations matching the second element of a pair in the projection will be replaced with the name of the first element of that pair.

Furthermore, the merge operation itself is closed since it results in a taxonomy  $T$  as defined above. The merge is also commutative since it is possible to invert a set of articulations, and similarly associative under source projection. For quotient taxonomies, the merge operation is idempotent. That is, given two identical quotient taxonomies the same quotient taxonomy is returned.<sup>4</sup> Quotient taxonomies can be considered minimal views being synonym-free and consisting of the transitive reduction. And finally, as we describe further in the following section, the merge operation can scale-up

<sup>4</sup>Note that it is also straightforward to convert source taxonomies into corresponding quotient taxonomies.

to large taxonomies, in part due to CLEANTax's use of RCC constraints.

## 5. EXPERIMENTS AND DISCUSSION


We have implemented the merge algorithm above within the CLEANTax system and have tested our approach using a data set of nine aligned taxonomies for the plant genus *Ranunculus* [28]. The experiments described below used the two largest taxonomies, one covering 218 taxa and the other covering 142 taxa, and 206 articulations between them created by a domain expert. Each taxonomy is three levels deep covering the genus, species, and variety biological ranks.

The first step in creating the merge is translating the taxonomies and articulations into monadic first-order logic and determining all the relationships implied by the resulting axioms. As described in earlier work [35], this step is currently expensive, taking approximately 8 hours (using Prover9 [38]) to determine the relations between each pair of taxa in the two described taxonomies. We expect future optimizations to reduce this time significantly (e.g., see [36, 35]). Once these calculations have been made, the merge is computed very quickly. The limiting factor of the algorithm is the calculation of the transitive reduction, for which we used the **trred** filter that comes with the **graphviz** software package<sup>5</sup>. **Trred** uses a depth-first search algorithm of complexity  $O(V * E)$  [1, 13]. In the current context,  $V$  is the number of taxa and  $E$  is the number of articulations describing inclusion (either  $N \subsetneq M$ , or  $N \{ \equiv, \subsetneq \} M$ ) maximally informed relations (**mir**). The other steps of the algorithm are  $O(E)$  where  $E$  is the number of **mir** articulations. On average (after 5 runs with little variance between them) merging the two taxonomies described above took 84 milliseconds, 62% of which was spent determining the transitive reduction.


A primary advantage of the CLEANTax framework is the ability to apply a variety of taxonomic constraints when reasoning and merging across taxonomies. As mentioned in Section 4, these constraints are often unstated when taxonomies are presented, and the application of different constraints can lead to different results in reasoning and merging tasks. Unfortunately, most of the traditional taxonomic constraints we applied to the taxonomies described above resulted in a logically inconsistent alignment. The only constraint that was successfully applied was the non-emptiness constraint, which led to few interesting new articulations. To get a better sense for the impact of these taxonomic constraints, we divided the taxonomies into sub-taxonomies, each involving a species in one taxonomy and all the below-genus taxa connected to it in both taxonomies. Of the 81 sub-taxonomies thus created, 75 were consistent under all three of the global taxonomic constraints: non-emptiness, sibling-disjointness, and parent coverage. Calculating the merge for these smaller sub-taxonomies, which contained on average 8 taxa each, took on average 18 milliseconds, 99% of which was spent determining the transitive reduction.

Figure 6 shows the impact of the constraints on the merge of one of these sub-taxonomies. The two sub-taxonomies for the

<sup>5</sup><http://www.research.att.com/sw/tools/graphviz/>



**Figure 6: Merging *Ranunculus hispidus* under different assumptions. For clarity, the disjointness relations between taxa in (c) are not shown. See text for further detail.**



**Figure 7: Constraints placed on taxonomies before the merge may not apply to the result of the merge.**

species *Ranunculus hispidus* and their articulations are shown in Figure 6(a). When no additional assumptions are made, the merge results in Figure 6(b). It is important to recognize that in Figure 6(b), the lack of an edge between two taxa represents the situation where either a transitive edge has been removed in the transitive reduction or nothing is known about the relationship between the taxa. Thus, in Figure 6(b) the relationship between taxa [C] and [E] is completely unknown. Applying the non-emptiness constraint to all the taxa in the taxonomies results in the additional knowledge that taxa [C] and [E] are not disjoint.

Figure 6(c) represents the merge when the sibling-disjointness, coverage and non-emptiness constraints are assumed. In this merge, the taxon labeled [E] becomes a child of [C]. For clarity, the many disjointness relations between taxa in Figure 6(c) are not shown: the taxa [F], [G], [H], and [I] are mutually disjoint, the taxa [B,K], [C], and [D,J] are mutually disjoint, and each child of [E] is disjoint from [B,K] and [D,J].

It is important to note that when GTCs are applied to the taxonomies being merged, they are not automatically applied to the result of the merge. For example, in Figure 7, although the two taxonomies shown in (a) both exhibit the sibling disjointness constraint, the resulting merge in (b) does not; nothing is known about

the relationship between taxa C and 2, for instance. Applying the sibling-disjointness constraint to the merged result would be adding additional information, violating the soundness desideratum. If the articulation provider expects taxa C and 2 to be disjoint, this articulation must be added to the alignment in Figure 7(a).

## 6. CONCLUSIONS

We have presented a formal approach for merging taxonomies within the CLEANTax system. This work is motivated by current problems in managing, integrating, and exploiting large biological classifications including species taxonomies. As such, we have also identified a number of requirements related to merging taxonomies, and have described how our proposed merge approach satisfies them. We have also presented initial experimental results of an implementation of our merge approach, using a number of real-world species taxonomies and articulations created by a domain expert. Our findings suggest that the merge approach is well suited for handling large taxonomies and complex sets of articulations.

Comparing the merge component of CLEANTax to systems described earlier, notably OntoMerge, iPrompt and Chimæra is not straightforward. For example, OntoMerge does not have an explicit merge phase to compare with the CLEANTax merge. iPrompt and Chimæra are interactive systems in which users merge ontologies by iteratively creating articulations and performing the merge, whereas the CLEANTax merge assumes a set of articulations has been provided and performs the merge in one step. In all cases, the languages used for representing articulations differ. However, some comparison of the CLEANTax merge with that of these other systems is necessary, and part of our future work will involve determining a reasonable means for making this comparison.

In addition, we plan to develop optimization strategies for the CLEANTax framework (as discussed in Section 5); apply the CLEANTax framework and merge approach to enable data translation, query rewriting, and search-result ranking; and finally to support the resolution of alignment inconsistencies and to reduce uncertainty within taxonomies and taxonomic alignments.

## 7. REFERENCES

- [1] A. V. Aho, M. R. Garey, and J. D. Ullman. The transitive reduction of a directed graph. *SIAM J. Comput.*, 1(2):131–137, 1972.
- [2] K. D. Bailey. *Typologies and Taxonomies: An Introduction to Classification Techniques*. Sage Publications, Inc, 1994.
- [3] B. Bennett. Spatial reasoning with propositional logics. In J. Doyle, E. Sandewall, and P. Torasso, editors, *KR'94: Principles of Knowledge Representation and Reasoning*, pages 51–62. Morgan Kaufmann, San Francisco, California, 1994.
- [4] W. G. Berendsohn. *MoReTax – Handling Factual Information Linked to Taxonomic Concepts in Biology*. Number 39 in Schriftenreihe für Vegetationskunde. Bundesamt für Naturschutz, 2003.
- [5] R. Brachman. What is-a is and isn't: An analysis of taxonomic links in semantic networks. *IEEE Computer*, 16:30–36, 1983.
- [6] R. Côté, D. Rothwell, and L. Brochu, editors. *SNOMED international : the systematized nomenclature of human and veterinary medicine*. College of American Pathologists, Northfield, Ill., 3rd edition, 1993.
- [7] W. F. Doolittle. Phylogenetic classification and the universal tree. *Science*, 284(5423):2124–2128, 1999.

- [8] D. Dou, D. McDermott, and P. Qi. Ontology translation on the semantic web. In *International Conference on Ontologies, Databases and Applications*, 2004.
- [9] M. Ehrig. *Ontology Alignment: Bridging the Semantic Gap*, volume 4 of *Semantic Web And Beyond Computing for Human Experience*. Springer, 2007.
- [10] J. Euzenat. State of the art on ontology alignment. <http://www.starlab.vub.ac.be/publications/kweb-223.pdf>, 2004.
- [11] N. M. Franz, R. K. Peet, and A. S. Weakley. On the use of taxonomic concepts in support of biodiversity research and taxonomy. Proceedings of the New Taxonomy Symposium, 2006.
- [12] S. Henikoff, E. A. Greene, S. Pietrokovski, P. Bork, T. K. Attwood, and L. Hood. Gene families: The taxonomy of protein paralogs and chimeras. *Science*, 278(5338):609–614, 1997.
- [13] Y. E. Ioannidis and R. Ramakrishnan. An efficient transitive closure algorithm. In *Proc. of the 14th International Conference Very Large Databases*, pages 382–394, 1988.
- [14] P. Jonsson and T. Drakengren. A complete classification of tractability in RCC-5. *Journal of Artificial Intelligence Research*, 6:211–221, 1997.
- [15] J. J. Jung. Taxonomy alignment for interoperability between heterogeneous digital libraries. In S. Sugimoto, J. Hunter, A. Rauber, and A. Morishima, editors, *ICADL*, volume 4312 of *Lecture Notes in Computer Science*, pages 274–282. Springer, 2006.
- [16] J. Kennedy, R. Kukla, and T. Paterson. Scientific names are ambiguous as identifiers for biological taxa: Their context and definition are required for accurate data integration. In *2nd Intl. Workshop on Data Integration in the Life Sciences (DILS)*, LNCS 3615, pages 80–95, July 2005.
- [17] J. Kim, M. Jang, Y.-G. Ha, J.-C. Sohn, and S.-J. Lee. MoA: OWL ontology merging and alignment tool for the semantic web. In M. Ali and F. Esposito, editors, *IEA/AIE*, volume 3533 of *Lecture Notes in Computer Science*, pages 722–731. Springer, 2005.
- [18] M. Klein. Combining and relating ontologies: an analysis of problems and solutions. In A. Gomez-Perez, M. Gruninger, H. Stuckenschmidt, and M. Uschold, editors, *Workshop on Ontologies and Information Sharing, IJCAI'01*, Seattle, USA, 2001.
- [19] M. Koperski, M. Sauer, W. Braun, and S. Gradstein. *Referenzliste der Moose Deutschlands*, volume 34. Schriftenreihe Vegetationsk, 2000.
- [20] K. Kotis and G. A. Vouros. The HCONE approach to ontology merging. In C. Bussler, J. Davies, D. Fensel, and R. Studer, editors, *ESWS*, volume 3053 of *Lecture Notes in Computer Science*, pages 137–151. Springer, 2004.
- [21] K. Kotis, G. A. Vouros, and K. Stergiou. Towards automatic merging of domain ontologies: The HCONE-merge approach. *J. Web Sem.*, 4(1):60–79, 2006.
- [22] P. Lambrix and H. Tan. SAMBO - a system for aligning and merging biomedical ontologies. *J. Web Sem.*, 4(3):196–206, 2006.
- [23] C. Linnaeus. *Systema Naturae*. Laurentii Salvii, Stockholm, 1758.
- [24] D. L. McGuinness, R. Fikes, J. Rice, and S. Wilder. The Chimaera ontology environment. In *AAAI/IAAI*, pages 1123–1124. AAAI Press / The MIT Press, 2000.
- [25] D. L. McGuinness, R. Fikes, J. Rice, and S. Wilder. An environment for merging and testing large ontologies. In *Proc. of the Seventh International Conference on Principles of Knowledge*, Breckenridge and Colorado United States, April 2000.
- [26] N. F. Noy and M. A. Musen. The PROMPT suite: interactive tools for ontology merging and mapping. *International Journal of Human-Computer Studies*, 59(6):983–1024, 2003.
- [27] C. Orengo, A. Michie, S. Jones, D. Jones, M. Swindells, and J. Thornton. CATH - a hierarchic classification of protein domain structures. *Structure*, 5(8):1093–1108, aug 1997.
- [28] R. K. Peet. Ranunculus dataset. June 2005.
- [29] D. A. Randell, Z. Cui, and A. Cohn. A spatial logic based on regions and connection. In B. Nebel, C. Rich, and W. Swartout, editors, *KR'92. Principles of Knowledge Representation and Reasoning: Proceedings of the Third International Conference*, pages 165–176. Morgan Kaufmann, San Mateo, California, 1992.
- [30] J. Renz and B. Nebel. On the complexity of qualitative spatial reasoning: A maximal tractable fragment of the region connection calculus. *Artif. Intell.*, 108(1-2):69–123, 1999.
- [31] A. Riazanov and A. Voronkov. The design and implementation of VAMPIRE. *AI Commun.*, 15(2-3):91–110, 2002.
- [32] S. S. Staff. *Soil taxonomy. A basic system of soil classification for making and interpreting soil surveys*. Number 436 in Soil Conservation Service Agricultural Handbook. United States Department of Agriculture, 1975.
- [33] G. Stumme and A. Maedche. FCA-MERGE: Bottom-Up Merging of Ontologies. In *Proc. of the 17th International Joint Conference on Artificial Intelligence*, pages 225–234, 2001.
- [34] G. Stumme and A. Maedche. Ontology merging for federated ontologies on the semantic web, 2001.
- [35] D. Thau. Reasoning about taxonomies and articulations. In *Workshop Proceedings of the 11th International Conference on Extending Database Technology*. ACM, 2008.
- [36] D. Thau and B. Ludäscher. Reasoning about taxonomies in first-order logic. *Ecological Informatics*, 2(3):195–209, 2007.
- [37] M. Wessel. On spatial reasoning with description logics-position paper. In I. Horrocks and S. Tessaris, editors, *Proceedings of the International Workshop in Description Logics*, pages 156–163, Toulouse, France, April 2002. CEUR Workshop Proceedings.
- [38] W.W.McCune. Prover 9: <http://www.cs.unm.edu/mccune/prover9/>, July 2008.